

**Attachment to PTO Form 90C**

1. The reply brief filed 5/6/2008 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.
2. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DILEK B. COBANOGU whose telephone number is (571)272-8295. The examiner can normally be reached on 8-4:30.
3. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Christopher L. Gilligan can be reached on 571-272-6770. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
4. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 09/942,516

Page 3

Art Unit: 3626

/D. B. C./

Examiner, Art Unit 3626

7/7/2008

/C Luke Gilligan/

Supervisory Patent Examiner, Art Unit 3626